

IAP20 REVISED 20 DEC 2005

CLAIMS

1. (Amended) A cathode ray tube comprising:

a glass bulb that is formed by joining a substantially rectangular panel with a funnel that houses an electron gun in
5 a neck thereof; and

an internal magnetic shield that is substantially in a shape of a hollow truncated pyramid which is rectangular in a cross section, the internal magnetic shield being housed in the glass bulb such that a small diameter opening of the internal
10 magnetic shield faces toward the electron gun, wherein

in the internal magnetic shield, a first short edge and a second short edge are arranged to face each other across the small diameter opening, and each short edge is in a shape of a valley that drops toward the panel over an entire length thereof,
15 and a first long edge and a second long edge are arranged to face each other across the small diameter opening, and each long edge is in a shape of a mountain that rises toward the electron gun over an entire length thereof.

20 2. The cathode ray tube of Claim 1, wherein

the internal magnetic shield is structured such that in terms of a height of the internal magnetic shield from a plane that is perpendicular to a tube axis of the cathode ray tube and includes a point at an intersection of an inner surface of
25 the panel with the tube axis, tops of the long edges in the shape of the mountain have a largest height, points where long edges meet short edges have a smaller height than the tops of the long edges, and bottoms of the short edges in the shape of the valley

have a smaller height than the points where the long edges meet the short edges.

3. The cathode ray tube of Claim 2, wherein

5 at a rim of the small diameter opening, the height of the internal magnetic shield from the plane decreases gradually from the tops of the long edges to the bottoms of the short edges.

4. The cathode ray tube of one of Claims 1 to 3, wherein

10 the shape of the valley is symmetrical on either side of a center of each of the first and second short edges, and the shape of the mountain is symmetrical on either edge of a center of each of the first and second long edges.

15 5. The cathode ray tube of one of Claims 1 to 4, wherein each short edge is continuous to each long edge at each end thereof.

20 6. The cathode ray tube of one of Claims 1 to 5, wherein each of the first and second short edges is in a shape of an inverted trapezoid, a character "U", a character "V", or an arc as the shape of the valley, and each of the first and second long edges is in a shape of an obtuse-angled isosceles triangle as the shape of the mountain.

25 7. The cathode ray tube of one of Claims 1 to 6, wherein a first long edge plate including the first long edge and a second long edge plate including the second long edge are

arranged to face each other, and a first short edge plate including
the first short edge and a second short edge plate including
the second short edge are arranged to face each other, so that
the internal magnetic shield is substantially in the shape of
5 the hollow truncated pyramid, and

each of the first and second long edge plates has a slit
that extends from a center of each of the first and second long
edges toward the panel.

10 8. The cathode ray tube of one of Claims 1 to 7 further comprising:

a rectangular frame that supports the internal magnetic
shield at an end of the internal magnetic shield where a large
diameter opening is formed; and

a tension mask that is supported by the rectangular frame,
15 wherein

a phosphor screen, which is composed of red, green, and
blue phosphors that are arranged to form vertical stripes, is
formed on the inner surface of the panel.